	Type	Hits	Search Text	DBs
1	BRS	84	712/225.ccls. and floating	USPAT
2	BRS	7	712/225.ccls. and (floating with queue)	USPAT
3	BRS	4	712/225.ccls. and (floating with queue with store)	USPAT
4	BRS	4	712/225.ccls. and (floating with queue with (store or write))	USPAT
5	BRS	85	712/225.ccls. and queue	USPAT
6	BRS	6	(queue with (store or write) with load) same forward	USPAT
7	BRS	0	((queue with (store or write) with load) same forward) and aligner	USPAT
8	BRS	5	((queue with (store or write) with load) same forward) and align$4	USPAT
9	BRS	67	712/225.ccls. and align$4	USPAT
10	BRS	22	memory with (conver$5 or translat$4) with load with (floating near point)	USPAT
11	BRS	80	711/201.ccls. and align$9	USPAT
12	BRS	0	712/210.ccls. and ((align$5 or natur$8) same boundr$4)	USPAT
13	BRS	92	712/210.ccls. and ((align$5 or natur$8) with (operand or data))	USPAT
14	BRS	60	712/210.ccls. and ((align$5 or natur$8) with (operand or data)) and valid	USPAT
15	BRS	51	712/210.ccls. and ((align$5 or natur$8) with bound$5)	USPAT
16	BRS	5	712/210.ccls. and ((align$5 or natur$8) with bound$5 with data) and valid	USPAT
17	BRS	7	712/210.ccls. and ((align$5 or natur$8) with (operand or data) same boundar$4) and valid	USPAT
18	BRS	760	((align$5 or natur$8) with (operand or data) same boundar$4) and valid	USPAT

	Type	Hits	Search Text			DBs
19	BRS	97	("3346851" | "3541528" | "3771138" | "3789365" | "3916388" | "4034349" | "4084235" | "4189768" | "4189772" | "4200927" | "4228495" | "4236206" | "4296470" | "4315314" | "4317170" | "4396982" | "4410939" | "4434461" | "4454578" | "4456955" | "4459657" | "4476525" | "4514803" | "4569016" | "4587612" | "4626989" | "4654781" | "4675806" | "4679141" | "4714994" | "4722049" | "4734852" | "4739471" | "4739472" | "4752873" | "4758948" | "4760519" | "4766566" | "4771376" | "4777592" | "4807115" | "4814976" | "4858105" | "4897810" | "4901228" | "4903196" | "4924376" | "4926323" | "4942520" | "4942525" | "4985825" | "4992931" | "4992934" | "4992938" | "5003462" | "5051940" | "5075849" | "5101341" | "5127091" | "5133072" | "5133077" | "5148528" | "5148536" | "5155843" | "5168571" | "5185868" | "5193206" | "5226126" | "5230068" | "5247628" | "5251306" | "5317740" | "5323489" | "5355460" | "5371684" | "5390355" | "5442757" | "5487156" | "5539911" | "5557763" | "5561776" | "5574927" | "5592636" | "5606676" | "5619668" | "5625837" | "5627983" | "5651125" | "5659782" | "5689720" | "5708841" | "5768575" | "5778210" | "5797025" | "5832205" | "5832293" | "5987593").PN.			USPAT

	Type	Hits	Search Text	DBs
20	BRS	97	("3346851" | "3541528" | "3771138" | "3789365" | "3916388" | "4034349" | "4084235" | "4189768" | "4189772" | "4200927" | "4228495" | "4236206" | "4296470" | "4315314" | "4317170" | "4396982" | "4410939" | "4434461" | "4454578" | "4456955" | "4459657" | "4476525" | "4514803" | "4569016" | "4587612" | "4626989" | "4654781" | "4675806" | "4679141" | "4714994" | "4722049" | "4734852" | "4739471" | "4739472" | "4752873" | "4758948" | "4760519" | "4766566" | "4771376" | "4777592" | "4807115" | "4814976" | "4858105" | "4897810" | "4901228" | "4903196" | "4924376" | "4926323" | "4942520" | "4942525" | "4985825" | "4992931" | "4992934" | "4992938" | "5003462" | "5051940" | "5075849" | "5101341" | "5127091" | "5133072" | "5133077" | "5148528" | "5148536" | "5155843" | "5168571" | "5185868" | "5193206" | "5226126" | "5230068" | "5247628" | "5251306" | "5317740" | "5323489" | "5355460" | "5371684" | "5390355" | "5442757" | "5487156" | "5539911" | "5557763" | "5561776" | "5574927" | "5592636" | "5606676" | "5619668" | "5625837" | "5627983" | "5651125" | "5659782" | "5689720" | "5708841" | "5768575" | "5778210" | "5797025" | "5832205" | "5832293" | "5987593").PN.	USPAT
21	BRS	11	("4539635" | "4598358" | "5202967" | "5337415" | "5448746" | "5450605" | "5459844" | "5488710" | "5600806" | "5724422" | "5758116").PN.	USPAT

	Type	Hits	Search Text	DBs
28	BRS	4	712/225.ccls. and (floating with queue with store)	USPAT; EPO; JPO; IBM_TDB
29	BRS	189	711/201.ccls.	USPAT
30	BRS	0	712/210.ccls. and ((align$5 or natur$8) with boundr$4)	USPAT
31	BRS	1	711/201.ccls. and align$9 and boundry	USPAT
32	BRS	35	712/210.ccls. and ((align$5 or natur$8) with bound$5) and valid	USPAT
33	BRS	1	floating same (queue with (store or write)) same forward	USPAT
34	BRS	159	floating same (queue with (store or write))	USPAT
35	BRS	38	memory with (conver$5 or translat$4) with external with load	USPAT
36	BRS	886	memory with (conver$5 or translat$4) with load	USPAT
37	BRS	172	712/210.ccls. and (align$5 or natur$8)	USPAT
38	BRS	4	bypass with queue with store with memory	USPAT
39	BRS	4	bypass with queue with store with memory	USPAT
40	BRS	5	(bypass with queue with store) same operand	USPAT
41	BRS	148	(store near2 queue) same operand	USPAT
42	BRS	5	(store near2 queue) same operand same bypass	USPAT
43	BRS	6	(store near2 queue) same operand same bypass$4	USPAT
44	BRS	0	(store near2 queue) same operand same by-pass$4	USPAT
45	BRS	24	(store near2 queue) same operand same direct$5	USPAT
46	BRS	42	queue same operand same (bypass$4 by-pass$4)	USPAT
47	BRS	7	queue with operand with (bypass$4 by-pass$4)	USPAT
48	BRS	29	queue with store with (bypass$4 by-pass$4)	USPAT
49	BRS	2	queue with store with (bypass$4 by-pass$4) with empty	USPAT

	Type	Hits	Search Text	DBs
50	BRS	321	712/225.ccls.	USPAT
51	BRS	321	712/225.ccls.	USPAT
52	BRS	225	711/201.ccls.	USPAT
53	BRS	339	712/210.ccls.	USPAT
54	BRS	328	712/218.ccls.	USPAT
55	BRS	4	bypass with queue with store with memory	USPAT; EPO; JPO
56	BRS	5	(bypass with queue with store) same operand	USPAT; EPO; JPO
57	BRS	149	(store near2 queue) same operand	USPAT; EPO; JPO
58	BRS	6	(store near2 queue) same operand same bypass$4	USPAT; EPO; JPO
59	BRS	24	(store near2 queue) same operand same direct$5	USPAT; EPO; JPO
60	BRS	42	queue same operand same (bypass$4 bypass$4)	USPAT; EPO; JPO
61	BRS	7	queue with operand with (bypass$4 bypass$4)	USPAT; EPO; JPO
62	BRS	30	queue with store with (bypass$4 bypass$4)	USPAT; EPO; JPO; DERWENT
63	BRS	2	queue with store with (bypass$4 bypass$4) with empty	USPAT; EPO; JPO
64	BRS	32	queue with store with bypass$4	USPAT
65	BRS	7	queue with store with bypass$4 with cache	USPAT
66	BRS	362	712/225.ccls.	USPAT
67	BRS	234	711/201.ccls.	USPAT
68	BRS	355	712/210.ccls.	USPAT
69	BRS	338	712/218.ccls.	USPAT
70	BRS	32	queue with store with bypass$4	USPAT
71	BRS	7	queue with store with bypass$4 with cache	USPAT

	Type	Hits	Search Text	DBs
72	BRS	2	queue with store with (bypass$4 by-pass$4) with empty	USPAT; EPO; JPO
73	BRS	34	queue with store with (bypass$4 by-pass$4)	USPAT; EPO; JPO; DERWENT
74	BRS	7	queue with operand with (bypass$4 by-pass$4)	USPAT; EPO; JPO
75	BRS	44	queue same operand same (bypass$4 by-pass$4)	USPAT; EPO; JPO
76	BRS	25	(store near2 queue) same operand same direct$5	USPAT; EPO; JPO
77	BRS	6	(store near2 queue) same operand same bypass$4	USPAT; EPO; JPO
78	BRS	153	(store near2 queue) same operand	USPAT; EPO; JPO
79	BRS	5	(bypass with queue with store) same operand	USPAT; EPO; JPO
80	BRS	5	bypass with queue with store with memory	USPAT; EPO; JPO
81	BRS	1	"6141747".pn.	USPAT